



ATM 9 HD

FLY AWAY



www.atm-es.com



+34 917 131 700



FLY AWAY | FULLY REDUNDANT UPLINK



AUDIO

- Audio Mixer SHURE SCM800
8 mic / line input
8 direct out
- AES and Analog Embedders
- Intercom Prospect 6K (By request)

VIDEO

- HD (SMPTE 292M) & SD (SMPTE 259M) SDI
- 2 HD-SD Video distribution amplifiers NEVION
- 1 HD-SD / Composite converter NEVION
- Waveform analyzer TRANSVIDEO HD-SD
- MATRIX 20X20 BLACK MAGIC
- HD-SD monitoring

ELECTRIC SYSTEM

- Power generator Honda 3.0i 3 KVA
- UPS RIELLO 3200WTS
- Connection type: CETAC 32 A Single-Phase



TRANSMISSION

- Fully redundant uplink chain: 1+1, 2+0
EUTELSAT STATION CODE E-402
HISPASAT STATION CODE ATM-9
- EIRP: 71 dBW
- 2 Encoder HVE9100 & 2 AZ110 Modulator
H.264 & MPEG-2, 4:2:2, HD / SD
DVBS-2 & DVBS. BISS E/1.
DOLBY E PASS
- 2 HPA's XICOM XT-400W
- Fly Away Gigasat FA180
Gain transmission: 47dBi
G/T:21 dBk
- 2 Decoder ERICSSON RX 8200
DVBS-2 & DVBS H.264,MPEG2, 4:2:2, BISS
- Spectrum Analyzer Rhode&Schwarz FSH3

OTHERS

- VTRs (By request)
- Hand, lavalier microphones
- Mobile IFB
- ISDN Codec (By request)
- Fluorescent Panels
- TVRO Satellite reception (By request)



CONTACT US

 info@atm-es.com

 +34 917 131 700

 www.atm-es.com

